



LAMPIRAN

Lampiran 1. 1 Pengujian Sistem


a. Halaman Beranda




b. Halaman Pustakawan




c. Login Admin




d. Login Member



e. Halaman Admin



f. Halaman Upload Buku



g. Halaman Input Anggota

Keanggotaan

Daftar Anggota Tambah Anggota Lihat Anggota yang Kedaluwarsa

Cari Cari

Simpan

ID Anggota* :

Nama Anggota* :

Tanggal Lahir* : hh/bb/tttt

Anggota Sejak* : 12/01/2024

Tanggal Registrasi* : 12/01/2024

Berlaku Hingga* : Set Otomatis

h. Tampilan Pinjaman Terkini

Online Public Catalog | Sistem

catalog.unugha.id/index.php?p=member

Perpustakaan Al Ghazali Cilacap

Beranda Pustakawan Admin Bantuan 6 ANGGORO ZULFIQAR MUBAARAK

Mahasiswa

Hi, ANGGORO ZULFIQAR MUBAARAK

Selamat Datang di Area Anggota, tempat Anda dapat melihat status keanggotaan dan peminjaman.

Pinjaman Terkini Keranjang Judul Anda Sejarah Peminjaman perpanjang Denda Penilaian Akun Saya

Pinjaman saya saat ini

0 eksemplar yang sedang dipinjam | Unduh Semua Pinjaman Terkini

Tidak Ada Data

Tentang Kami Cari

i. Keranjang Judul

The screenshot shows the 'Keranjang Judul' page for user ANGGORO ZULFIQAR MUBAARAK. The page header includes the library name 'Perpustakaan Al Ghazali Cilacap' and navigation links like 'Beranda', 'Pustakawan', 'Admin', and 'Bantuan'. The user's profile picture and name are displayed at the top. Below the profile, there are tabs for 'Pinjaman Terkini', 'Keranjang Judul Anda', 'Sejarah Peminjaman', 'perpanjang', 'Denda', 'Penilaian', and 'Akun Saya'. The 'Keranjang Judul saya' section shows 6 titles in the basket, with a 'Kirim pesanan dalam Keranjang' button. A table lists the titles with checkboxes for selection:

Hapus	Judul
<input type="checkbox"/>	Kitab Undang-undang Hukum Pidana (KUHP) & Hukum Acara Pidana (KUHP)
<input type="checkbox"/>	Komunikasi Bisnis
<input type="checkbox"/>	Desain pembelajaran pendidikan

j. Sejarah peminjaman

The screenshot shows the 'Sejarah Peminjaman' page for user ANGGORO ZULFIQAR MUBAARAK. The page header is identical to the previous screenshot. The 'Sejarah Peminjaman saya' section shows 0 borrowing records, with a 'Unduh Semua Sejarah Pinjaman' button. A message box indicates 'Tidak Ada Data' (No Data).

k. Perpanjang

The screenshot shows a web browser window with the URL `catalog.unugha.id/index.php?p=member&sec=perpanjang`. The page header includes the logo of Perpustakaan Al Ghazali Cilacap and navigation links: Beranda, Pustakawan, Admin, Bantuan, and a user profile for ANGGORO ZULFIQAR MUBAARAK. The main content area features a user profile picture and a 'KELUAR' button. Below the profile, the user is identified as 'Mahasiswa' and 'Hi, ANGGORO ZULFIQAR MUBAARAK'. A welcome message reads: 'Selamat Datang di Area Anggota, tempat Anda dapat melihat status keanggotaan dan peminjaman.' A horizontal menu contains links for 'Pinjaman Terkini', 'Keranjang Judul Anda', 'Sejarah Peminjaman', 'perpanjang' (active), 'Denda', 'Penilaian', and 'Akun Saya'. A search bar contains the text 'perpanjang', with a dropdown menu showing 'Perpanjang | Download histori perpanjang'. The footer includes a 'Tentang Kami' section for Perpustakaan Universitas Nahdlatul Ulama Al Ghazali (UNUGHA) Cilacap and a 'Cari' section with the instruction: 'masukkan satu atau lebih kata kunci dari judul, pengarang, atau subjek'. The system clock shows 9:13 on 13/01/2024.

l. Denda

The screenshot shows the same web browser window as above, but the URL is `catalog.unugha.id/index.php?p=member&sec=denda`. The page layout is identical, but the 'Denda' link in the horizontal menu is now active. The search bar contains the text 'denda', and the dropdown menu shows 'histori denda | Download histori denda'. The system clock shows 9:14 on 13/01/2024.

m. Penilaian

The screenshot shows the 'Penilaian' page for a student member. The page header includes the library name 'Perpustakaan Al Ghazali Cilacap' and the user's name 'ANGGORO ZULFIQAR MUBAARAK'. The main content area features a navigation menu with options: 'Pinjaman Terkini', 'Keranjang Judul Anda', 'Sejarah Peminjaman', 'perpanjang', 'Denda', 'Penilaian', and 'Akun Saya'. The 'Penilaian' tab is active, displaying a 'penilaian' section with a link for 'histori penilaian | Download penilaian'. A 'KELUAR' button is visible on the left side of the profile area.

n. Tampilan Profil

The screenshot shows the 'Detail Keanggotaan' page for the same student member. The page header is identical to the previous screenshot. The main content area features a navigation menu with options: 'Pinjaman Terkini', 'Keranjang Judul Anda', 'Sejarah Peminjaman', 'perpanjang', 'Denda', 'Penilaian', and 'Akun Saya'. The 'Penilaian' tab is active, displaying a 'Detail Keanggotaan' section with a table of membership information.

Nama Anggota	ANGGORO ZULFIQAR MUBAARAK	ID Anggota	212561008
Surel Anggota	anggorozulfiqar@gmail.com	Tipe Keanggotaan	Mahasiswa
Tanggal Registrasi	2021-09-29	Berlaku Hingga	2024-09-22
Institusi	FKI UNUGHA-KOMUNIKASI DAN PENYIARAN ISLAM		

Lampiran 1. 2 Tampilan Code

```
<?php
# @Author: Waris Agung Widodo <user>
# @Date: 2018-01-23T11:27:04+07:00
# @Email: ido.alit@gmail.com
# @Filename: _home.php
# @Last modified by: user
# @Last modified time: 2018-01-26T18:43:45+07:00

?>

<section id="section1 container-fluid">
  <header class="c-header">
    <div class="mask"></div>
    <?php
    // -----
    // include navbar
    // -----
    include '_navbar.php'; ?>
  </header>
  <?php
  // -----
  // include search form part
  // -----
  include '_search-form.php';
  ?>
  <!-- <?php
  // include '_chart.php';
  ?> -->
</section>

<div id="slims-home">

  <!-- Select the topic you are interested in -->
  <section class="mt-5 container">
    <h4 class="text-secondary text-center text-thin mt-5 mb-4"><?php echo
    __('Select the topic you are interested in'); ?></h4>
    <ul class="topic d-flex flex-wrap justify-content-center px-0">
      <li class="d-flex justify-content-center align-items-center m-2">
        <a href="index.php?callnumber=8&search=search" class="d-flex flex-
        column">
          

```



```

        <?php echo __('Literature'); ?>
    </a>
</li>
<li class="d-flex justify-content-center align-items-center m-2">
    <a href="index.php?callnumber=3&search=search" class="d-flex flex-
column">
        
        <?php echo __('Social Sciences'); ?>
    </a>
</li>
<li class="d-flex justify-content-center align-items-center m-2">
    <a href="index.php?callnumber=6&search=search" class="d-flex flex-
column">
        
        <?php echo __('Applied Sciences'); ?>
    </a>
</li>
<li class="d-flex justify-content-center align-items-center m-2">
    <a href="index.php?callnumber=7&search=search" class="d-flex flex-
column">
        
        <?php echo __('Art & Recreation'); ?>
    </a>
</li>
<li class="d-flex justify-content-center align-items-center m-2">
    <a href="javascript:void(0)" class="d-flex flex-column" data-
toggle="modal" data-target="#exampleModal">
        
        <?php echo __('see more..'); ?>
    </a>
</li>
</ul>
</section>

<!-- Popular among our collections -->
<?php if ($sysconf['template']['classic_popular_collection']) : ?>
<section class="mt-5 container">
    <h4 class=" mb-4">
        <?php echo __('Popular among our collections'); ?>
    <br>
    <small class="subtitle-section"><?php echo __('Our library\'s line of
collection that have been favoured by our users were shown here. Look for
them. Borrow them. Hope you also like them'); ?></small>

```

```

</h4>

<slims-group-subject url="index.php?p=api/subject/popular"></slims-group-
subject>
<slims-collection url="index.php?p=api/biblio/popular"></slims-collection>

</section>
<?php endif; ?>

<?php if ($sysconf['template']['classic_new_collection']) : ?>
<section class="mt-5 container">
  <h4 class=" mb-4">
    <?php echo __('New collections + updated');?>
    <br>
    <small class="subtitle-section"><?php echo __('These are new
collections list. Hope you like them. Maybe not all of them are new. But in
term of time, we make sure that these are fresh from our processing
oven');?></small>
  </h4>

  <slims-group-subject url="index.php?p=api/subject/latest"></slims-group-
subject>
  <slims-collection url="index.php?p=api/biblio/latest"></slims-collection>

</section>
<?php endif; ?>

<?php if ($sysconf['template']['classic_top_reader']) : ?>
<section class="mt-5 bg-white">
  <div class="container py-5">
    <h4 class="mb-4">
      <?php echo __('Top reader of the year');?>
      <br>
      <small class="subtitle-section"><?php echo __('Our best users,
readers, so far. Continue to read if you want your name being mentioned
here');?></small>
    </h4>
    <slims-group-member url="index.php?p=api/member/top"></slims-group-
member>
  </div>
</section>
<?php endif; ?>

<?php if ($sysconf['template']['classic_map']) : ?>
<section class="my-5 container">
  <div class="row align-items-center">
    <div class="col-md-6">
      <iframe class="embed-responsive"

```

```

        src="<?=$sysconf['template']['classic_map_link']; ?>"
        height="420" frameborder="0" style="border:0"
allowfullscreen></iframe>
    </div>
    <div class="col-md-6 pt-8 md:pt-0">
        <h4><?=$sysconf['library_name']; ?></h4>
        <p><?=$sysconf['template']['classic_map_desc']; ?></p>
        <p class="d-flex flex-row pt-2">
            <a target="_blank" href="<?=$
$sysconf['template']['classic_fb_link'] ?>" class="btn btn-primary mr-2"
name="button"><i class="fab fa-facebook-square text-white"></i></a>
            <a target="_blank" href="<?=$
$sysconf['template']['classic_twitter_link'] ?>" class="btn btn-info mr-2"
name="button"><i class="fab fa-twitter-square text-white"></i></a>
            <a target="_blank" href="<?=$
$sysconf['template']['classic_youtube_link'] ?>" class="btn btn-danger mr-2"
name="button"><i class="fab fa-youtube text-white"></i></a>
            <a target="_blank" href="<?=$
$sysconf['template']['classic_instagram_link'] ?>" class="btn btn-dark mr-2"
name="button"><i class="fab fa-instagram text-white"></i></a>
        </p>
    </div>
</div>
</section>
<?php endif; ?>
</div>

```

```

<?php
/**
 * @Created by      : Waris Agung Widodo (ido.alit@gmail.com)
 * @Date           : 2019-01-30 20:58
 * @File name      : _member.php
 */

?>

<?php if ($is_login) : ?>

    <div class="member-area">
        <section id="section1 container-fluid">
            <header class="c-header">
                <div class="mask"></div>
                <?php
                // -----
                -----
                // include navbar part

```

```

// -----
include '_navbar.php'; ?>
</header>
</section>

<div>
  <?php echo $main_content; ?>
</div>

</div>
<?php else: ?>

<div class="result-search page-member-area">
  <section id="section1 container-fluid">
    <header class="c-header">
      <div class="mask"></div>
      <?php
// -----
// include navbar part
// -----

include '_navbar.php'; ?>
</header>
<?php
// -----

// include search form part
// -----

// include '_search-form.php'; ?>
</section>

<div class="container py-4">
  <div class="row">
    <div class="col-md-8">
      <?php echo $main_content; ?>
    </div>
    <div class="col-md-4"></div>
  </div>
</div>
</div>
<?php endif; ?>

```

```

<?php
# @Author: Waris Agung Widodo <user>
# @Date: 2018-01-25T10:25:29+07:00
# @Email: ido.alit@gmail.com
# @Filename: _navbar.php
# @Last modified by: user
# @Last modified time: 2018-01-25T10:29:27+07:00

$main_menus = [
    'home' => [
        'text' => __('Beranda'),
        'url' => 'index.php'
    ],
    // 'libinfo' => [
    //     'text' => __('Informasi'),
    //     'url' => 'index.php?p=Informasi'
    // ],
    // 'news' => [
    //     'text' => __('Buku'),
    //     'url' => 'index.php?p=libinfo'
    // ],

    'librarian' => [
        'text' => __('Pustakawan'),
        'url' => 'index.php?p=librarian'
    ],
    'loginadmin' => [
        'text' => __('Admin'),
        'url' => 'index.php?p=login'
    ],
    // 'perpanjang' => [
    //     'text' => __('perpanjang'),
    //     'url' => 'index.php?p=perpanjang'
    // ],
    'lisensi_slims' => [
        'text' => __('Bantuan'),
        'url' => 'index.php?p=lisensi_slims'
    ]
];
?>

<nav class="navbar navbar-expand-lg navbar-dark bg-transparent">
    <a class="navbar-brand inline-flex items-center" href="index.php">
        <?php
            if(isset($sysconf['logo_image']) && $sysconf['logo_image'] != '' &&
file_exists('images/default/' . $sysconf['logo_image'])) {
                echo '';

```

```

}
elseif (file_exists(__DIR__ . '/../assets/images/logo.png')) {
    echo '';
} else {
?>
<svg
    class="fill-current text-white inline-block h-8 w-8"
    version="1.1"
    xmlns="http://www.w3.org/2000/svg"
xmlns:xlink="http://www.w3.org/1999/xlink"
    viewBox="0 0 118.4 135" style="enable-background:new 0 0 118.4
135;"
    xml:space="preserve">
        <path d="M118.3,98.3l0-62.3l0-0.2c-0.1-1.6-1-3-2.3-3.9c-0.1,0-
0.1-0.1-0.2-0.1l61.9,0.8c-1.7-1-3.9-1-5.4-0.1l-54,31.1
    1-
0.4,0.2c0.9,33,0.1,34.4,0,36c0,0.1,0,0.2,0,0.3l0,62.4l0,0.3c0.1,1.6,1,3,2.3,3.
9c0.1,0.1,0.2,0.1,0.2,0.2l53.9,31.1l0.3,0.2
    c0.8,0.4,1.6,0.6,2.4,0.6c0.8,0,1.5-0.2,2.2-0.5l53.9-31.1c0.3-
0.1,0.6-0.3,0.9-0.5c1.2-0.9,2-2.3,2.1-3.7c0-0.1,0-0.3,0-0.4
    C118.4,98.6,118.3,98.5,118.3,98.3z M114.4,98.8c0,0.3-0.2,0.7-
0.5,0.9c-0.1,0.1-0.2,0.1-0.2,0.1l-20.6,11.9l59.2,92.1l-33.9,19.6
    L4.6,99.7l0,0l0,0c4.2,99.5,4,99.2,4,98.8l0-62.5l0,0l0-0.1c0-
0.4,0.2-0.7,0.5-0.9l20.8-12l33.9,19.6l33.9-19.6l20.6,11.9l0.1,0
    c0.3,0.2,0.5,0.5,0.6,0.9l0,62.3l114.4,98.8l114.4,98.8z
M95.3,68.6v39.4l23.1,66.4v26.9l95.3,68.6z"/>
    </svg>
    <?php } ?>
    <div class="inline-flex flex-col leading-tight ml-2">
        <h1 class="text-lg m-0 p-0"><?php echo $sysconf['library_name'];
?></h1>
        <?php if ($sysconf['template']['classic_library_subname']) : ?>
        <h2 class="text-sm lead m-0 p-0"><?php echo
$sysconf['library_subname']; ?></h2>
        <?php endif; ?>
    </div>
</a>
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent"
        aria-controls="navbarSupportedContent" aria-expanded="false" aria-
Label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav ml-auto">
            <?php
            foreach ($main_menus as $key => $main_menu) {

```

```

$active = '';
if (isset($_GET['p'])) {
    if ($key === $_GET['p']) $active = 'active';
} elseif ($key === 'home') {
    $active = 'active';
}
$menu_str = <<<HTML
<li class="nav-item {$active}">
    <a class="nav-link" href="{$_main_menu['url']}">{$_main_menu['text']}</a>
</li>
HTML;

echo $menu_str;
}
?>
<?php
$menu_member_active = isset($_GET['p']) && $_GET['p'] === 'member' ?
'active' : '';
if ($is_login) {
    ?>
    <li class="nav-item <?=$menu_member_active; ?>">
        <a class="nav-link"
href="index.php?p=member&sec=title_basket">
            <i class="fas fa-shopping-basket"></i>
            <?php
$count_basket = count($_SESSION['m_mark_biblio']);
            ?>
            <sup id="count-basket" class="badge badge-danger"><?php
echo $count_basket; ?></sup>
        </a>
    </li>
    <li class="nav-item dropdown <?=$menu_member_active; ?>">
        <a class="nav-link dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-toggle="dropdown"
aria-haspopup="true" aria-expanded="false">
            
            <?php echo $_SESSION['m_name']; ?>
        </a>
        <div class="dropdown-menu dropdown-menu-right">
            <a class="dropdown-item" href="index.php?p=member"><i
class="fas fa-user-circle mr-3"></i> <?=$__('Profile'); ?></a>
            <div class="dropdown-divider"></div>
            <a class="dropdown-item"
href="index.php?p=member&logout=1"><i
class="fas fa-sign-out-alt mr-3"></i> <?=$
__('Logout'); ?></a>
        </div>

```

```

        </li>
        <?php } else { ?>
            <li class="nav-item <?=$menu_member_active; ?>">
                <a class="nav-link" href="index.php?p=member"><?=$
__('Anggota') ?></a>
            </li>
        <?php } ?>
        <li class="nav-item dropdown">
            <?php
                $langstr = '';
                $current_lang = '';
                $select_lang =
isset($_COOKIE['select_lang'])?$_COOKIE['select_lang']:$sysconf['default_lang'
];

                require_once(LANG . 'localisation.php');
                foreach ($available_languages AS $lang_index) {
                    $selected = null;
                    $lang_code = $lang_index[0];
                    $lang_name = $lang_index[1];
                    $code_arr = explode('_', $lang_code);
                    $code_flag = strtolower($code_arr[1]);
                    if ($lang_code == $select_lang) {
                        $current_lang = [
                            'name' => $lang_name,
                            'code' => $code_flag
                        ];
                    }
                    $langstr .= <<<HTML
                    <a class="dropdown-item" href="index.php?select_lang={$lang_code}">
                        <span class="flag-icon flag-icon-{$code_flag} mr-2" style="border-
radius: 2px;"></span> {$lang_name}
                    </a>
HTML;
                }
                ?>
                <a class="nav-link dropdown-toggle cursor-pointer"
type="button" id="languageMenuButton"
                data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                    <span class="flag-icon flag-icon-<?=$current_lang['code']
?>" style="border-radius: 2px;"></span>
                </a>
                <div class="dropdown-menu bg-grey-lighter dropdown-menu-lg-
right" aria-labelledby="dropdownMenuButton">
                    <h6 class="dropdown-header"><?=$ __('Select Language'); ?>
: </h6>
                    <?=$ langstr; ?>
                </div>

```



```

        </li>
    </ul>
</div>
</nav>

```

```

<?php
/**
 * @Created by      : Waris Agung Widodo (ido.alit@gmail.com)
 * @Date           : 2019-01-29 10:43
 * @File name      : _other.php
 */

?>

<div class="result-search pb-5">
    <section id="section1 container-fluid">
        <header class="c-header">
            <div class="mask"></div>
            <?php
                // -----
                // include navbar part
                // -----

                include '_navbar.php'; ?>
            </header>
            <?php
                // -----

                // include search form part
                // -----

                // include '_search-form.php';
                ?>
            </section>

            <section class="container mt-8">
                <?php
                    if ($_GET['p'] !== 'show_detail') {
                        echo '<h3 class="mb-4">' . $page_title . '</h3><hr>';
                        if ($_GET['p'] === 'librarian') {
                            echo '<div class="flex flex-row flex-wrap">' . $main_content .
'</div>';
                        } else {
                            echo $main_content;
                        }
                    } else {

```

```

        echo $main_content;
    }
    ?>
</section>
</div>

```

```

<?php
# @Author: Waris Agung Widodo <user>
# @Date: 2018-01-25T10:31:54+07:00
# @Email: ido.alit@gmail.com
# @Filename: _search-form.php
# @Last modified by: user
# @Last modified time: 2018-01-26T16:53:56+07:00

?>
<div class="search" id="search-wraper" xmlns:v-
bind="http://www.w3.org/1999/xhtml">
    <div class="container">
        <div class="row">
            <div class="col-lg-8 mx-auto">
                <div class="card border-0 shadow">
                    <div class="card-body">
                        <form class="" action="index.php" method="get"
@submit.prevent="searchSubmit">
                            <input type="hidden" name="search" value="search">
                            <input ref="keywords" value="<?=
htmlentities(getQuery('keywords')) ?>" v-model.trim="keywords"
@focus="searchOnFocus" @blur="searchOnBlur"
type="text" id="search-input"
                                name="keywords" class="input-transparent w-
100" autocomplete="off"
                                placeholder="<?= __('Enter keyword to
search collection...');?>"/>
                            </form>
                        </div>
                    </div>
                    <transition name="slide-fade">
                        <div v-if="show" class="advanced-wraper shadow mt-4"
id="advanced-wraper"
                            v-click-outside="hideSearch">
                            <p class="label mb-2">
                                <?= __('Search by :');?>
                                <i @click="hideSearch"
                                    class="far fa-times-circle float-right text-
danger cursor-pointer"></i>
                            </p>
                            <div class="d-flex flex-wrap">

```

```

        <a v-bind:class="{ 'btn-primary text-white':
searchBy === 'keywords', 'btn-outline-secondary': searchBy !== 'keywords' }"
        @click="searchOnClick('keywords')" class="btn
mr-2 mb-2"><?= __('ALL')?></a>
        <a v-bind:class="{ 'btn-primary text-white':
searchBy === 'author', 'btn-outline-secondary': searchBy !== 'author' }"
        @click="searchOnClick('author')" class="btn mr-
2 mb-2"><?= __('Author');?></a>
        <a v-bind:class="{ 'btn-primary text-white':
searchBy === 'subject', 'btn-outline-secondary': searchBy !== 'subject' }"
        @click="searchOnClick('subject')" class="btn
mr-2 mb-2"><?= __('Subject');?></a>
        <a v-bind:class="{ 'btn-primary text-white':
searchBy === 'isbn', 'btn-outline-secondary': searchBy !== 'isbn' }"
        @click="searchOnClick('isbn')" class="btn mr-2
mb-2"><?= __('ISBN/ISSN');?></a>
        <button class="btn btn-light mr-2 mb-2"
disabled><?= __('OR TRY'); ?></button>
        <a class="btn btn-outline-primary mr-2 mb-2" data-
toggle="modal" data-target="#adv-modal"><?= __('Advanced Search');?></a>
    </div>
    <p v-if="lastKeywords.length > 0" class="label mt-
4"><?= __('Last search:');?></p>
    <a
:href="`index.php?${tmpObj[k].searchBy}=${tmpObj[k].text}&search=search`"
class="flex items-center justify-between py-1 text-
decoration-none text-grey-darkest hover:text-blue"
v-for="k in lastKeywords" :key="k"><span><i
class="far fa-clock text-grey-dark mr-
2"></i><span class="italic text-sm">{{tmpObj[k].text}}</span></span><i
class="fas fa-angle-right text-grey-
dark"></i></a>
    </div>
</transition>
</div>
</div>
</div>
</div>
</div>

```

```

<?php
# @Author: Waris Agung Widodo <user>
# @Date: 2018-01-23T11:26:05+07:00
# @Email: ido.alit@gmail.com
# @Filename: footer.php
# @Last modified by: user
# @Last modified time: 2018-01-23T11:26:47+07:00
?>

```

```

<footer class="py-4 bg-grey-darkest text-grey-lighter">
  <div class="container">
    <div class="row py-4">
      <div class="col-md-3">
        <?php
          if(isset($sysconf['logo_image']) && $sysconf['logo_image'] != ''
&& file_exists('images/default/' . $sysconf['logo_image'])) {
            echo '';
          }
          elseif (file_exists(__DIR__ . '/../assets/images/logo.png')) {
            echo '';
          } else {
            ?>
            <svg
              class="fill-current text-grey-lighter block h-12 w-
12 mb-2"
              version="1.1"
              xmlns="http://www.w3.org/2000/svg"
xmlns:xlink="http://www.w3.org/1999/xlink"
              viewBox="0 0 118.4 135" style="enable-background:new
0 0 118.4 135;"
              xml:space="preserve">
              <path d="M118.3,98.310-62.310-0.2c-0.1-1.6-1-3-2.3-3.9c-
0.1,0-0.1-0.1-0.2-0.1L61.9,0.8c-1.7-1-3.9-1-5.4-0.11-54,31.1
1-
0.4,0.2C0.9,33,0.1,34.4,0,36c0,0.1,0,0.2,0,0.310,62.410,0.3c0.1,1.6,1,3,2.3,3.
9c0.1,0.1,0.2,0.1,0.2,0.2153.9,31.110.3,0.2
c0.8,0.4,1.6,0.6,2.4,0.6c0.8,0,1.5-0.2,2.2-0.5153.9-
31.1c0.3-0.1,0.6-0.3,0.9-0.5c1.2-0.9,2-2.3,2.1-3.7c0-0.1,0-0.3,0-0.4
C118.4,98.6,118.3,98.5,118.3,98.3z M114.4,98.8c0,0.3-
0.2,0.7-0.5,0.9c-0.1,0.1-0.2,0.1-0.2,0.11-20.6,11.9L59.2,92.11-33.9,19.6
L4.6,99.710,010,0C4.2,99.5,4,99.2,4,98.810-62.510,010-
0.1c0-0.4,0.2-0.7,0.5-0.9120.8-12133.9,19.6133.9-19.6120.6,11.910.1,0
c0.3,0.2,0.5,0.5,0.6,0.910,62.3L114.4,98.8L114.4,98.8z
M95.3,68.6v39.4L23.1,66.4V26.9L95.3,68.6z"/>
            </svg>
            <?php } ?>
            <div class="mb-4"><?php echo $sysconf['library_name'];
?></div>
            <ul class="list-reset">
              <li><a class="text-light" href="index.php?p=libinfo"><?=_
__('Information'); ?></a></li>
              <li><a class="text-light" href="index.php?p=services"><?=_
__('Services'); ?></a></li>

```

```

        <li><a class="text-light" href="index.php?p=librarian"><?=__('Librarian'); ?></a></li>
        <li><a class="text-light" href="index.php?p=member"><?=__('Member Area'); ?></a></li>
        <li><a class="text-light" href="index.php?p=perpanjang
mandiri"><?=__('perpanjang mandiri'); ?></a></li>
    </ul>
</div>
<div class="col-md-5 pt-8 md:pt-0">
    <h4 class="mb-4"><?=__('About Us'); ?></h4>
    <p>
        <?=$sysconf['template']['classic_footer_about_us']; ?>
    </p>
    <h5>Contact Information Address :</h5>
    <p>
        Jl. Kemerdekaan Barat No 12 Kesugihan Kidul Cilacap Jawa
        Tengah 53274
        Phone Number :
        (021) 5711144
        Fax Number :
        (021) 5711144
    </p>
    <p>
        Opening Hours
        Monday - Friday :
        Open : 08.00 AM
        Break : 12.00 - 13.00 PM
        Close : 20.00 PM
        Saturday :
        Open : 08.00 AM
        Break : 12.00 - 13.00 PM
        Close : 17.00 PM
    </p>
    <p>
        Collections
        We have many types of collections in our library, range from Fictions to
        Sciences Material, from printed material to digital collections such CD-ROM,
        CD, VCD and DVD. We also collect daily serials publications such as newspaper
        and also monthly serials such as magazines.
    </p>
    Library Membership
    To be able to loan our library collections, you must first become library
    member. There is terms and conditions that you must obey.
    </p>
</div>
<div class="col-md-4 pt-8 md:pt-0">
    <h4 class="mb-4"><?=__('Search'); ?></h4>

```

```

        <div class="mb-2"><? = __('start it by typing one or more
keywords for title, author or subject'); ?></div>
        <form action="index.php">
            <div class="input-group mb-3">
                <input name="keywords" type="text" class="form-
control"
                    placeholder="<? = __('Enter keywords'); ?>"
                    aria-label="Enter keywords"
                    aria-describedby="button-addon2">
                <div class="input-group-append">
                    <button class="btn btn-primary" type="submit"
value="search" name="search"
                        id="button-addon2"><? = __('Find
Collection'); ?>
                    </button>
                </div>
            </div>
        </form>
        <hr>
        <a target="_blank" title="Support Us" class="btn btn-outline-
success mb-2"
            href="https://slims.web.id/web/pages/support-us/"><i
                class="fas fa-heart mr-2"></i><? = __('Keep SLiMS
Alive'); ?></a>
        <a target="_blank" title="Contribute" class="btn btn-outline-
light mb-2"
            href="https://github.com/slims/"><i
                class="fab fa-github mr-2"></i><? = __('Want to
Contribute?'); ?></a>
        </div>
    </div>
    <hr>
    <div class="flex font-thin text-sm">
        <p class="flex-1">&copy; <?php echo date('Y'); ?> &mdash; Senayan
Developer Community</p>
        <div class="flex-1 text-right text-grey"><? = __('Powered by ');
?><code>SLiMS</code></div>
    </div>
</div>
</footer>

<?php if ($sysconf['chat_system']['enabled'] &&
$sysconf['chat_system']['opac']) : ?>
    <div id="show-pchat2" style="position: fixed; bottom: 16px; right: 16px"
class="shadow rounded">
        <button title="Chat" class="btn btn-primary"><i class="fas fa-comments
mr-2"></i><? = __('Chat'); ?></button>
    </div>

```

```

<?php endif; ?>

<?php
// Chat Engine
include LIB . "contents/chat.php"; ?>

<!-- // Load modal -->
<?php include "_modal_topic.php"; ?>
<?php include "_modal_advanced.php"; ?>

<!-- // Load highlight -->
<script src="<?= JWB; ?>highlight.js"></script>
<?php if(isset($_GET['search']) && (isset($_GET['keywords']))) &&
($_GET['keywords'] != '')) : ?>
<script>
    $('#card-link, p, dl > dd').highlight(<?= $searched_words_js_array; ?>);
</script>
<?php endif; ?>

<!-- // load our vue app.js -->
<script src="<?php echo assets('js/app.js?v=' . date('Ymd-his'));
?>"></script>
<script src="<?php echo assets('js/app_jquery.js?v=' . date('Ymd-his'));
?>"></script>
<?php include __DIR__ . "../assets/js/vegas.js.php"; ?>
<?php if ($sysconf['chat_system']['enabled'] &&
$sysconf['chat_system']['opac']) : ?>
    <script>
        $('#show-pchat').click(() => {
            $('.s-chat').hide()
            $('#show-pchat2').show()
        })
        $('#show-pchat2').click(() => {
            $('.s-chat').show(300, () => {
                $('#show-pchat2').hide()
            })
        })
    </script>
<?php endif; ?>
</body>
</html>

```

```

<!--
# =====
# Classic SLiMS Template
# =====
# @Author: Waris Agung Widodo

```

```

# @Email: ido.alit@gmail.com
# @Date: 2018-01-23T11:25:57+07:00
# @Last modified by: Waris Agung Widodo
# @Last modified time: 2019-01-03T11:25:57+07:00
-->
<?php
// clean request uri from xss
$request_uri = urlencode(strip_tags(urldecode($_SERVER['REQUEST_URI'])));
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <title><?php echo $page_title; ?></title>
    <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">

    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8"/>
    <meta http-equiv="Pragma" content="no-cache"/>
    <meta http-equiv="Cache-Control" content="no-store, no-cache, must-
revalidate, post-check=0, pre-check=0"/>
    <meta http-equiv="Expires" content="Sat, 26 Jul 1997 05:00:00 GMT"/>
    <?php echo $metadata;?>
    <?php if (isset($_GET['p']) && ($_GET['p'] == 'show_detail')): ?>
        <meta name="description" content="<?php echo substr($notes, 0, 152) .
'...'; ?>">
        <meta name="keywords" content="<?php echo $subject; ?>">
    <?php else: ?>
        <meta name="description" content="<?php echo $page_title; ?>">
        <meta name="keywords" content="<?php echo $sysconf['library_subname'];
?>">
    <?php endif; ?>
    <meta name="viewport" content="width=device-width, height=device-height,
initial-scale=1">
    <meta name="generator" content="<?php echo SENAYAN_VERSION ?>">
    <meta name="theme-color" content="#000">

    <meta property="og:locale" content="<?php echo str_replace('-', '_',
$sysconf['default_lang']); ?>">
    <meta property="og:type" content="book"/>
    <meta property="og:title" content="<?php echo $page_title; ?>">
    <?php if (isset($_GET['p']) && ($_GET['p'] == 'show_detail')): ?>
        <meta property="og:description" content="<?php echo substr($notes, 0,
152) . '...'; ?>">
    <?php else: ?>
        <meta property="og:description" content="<?php echo
$sysconf['library_subname']; ?>">

```



```

    <?php endif; ?>
    <meta property="og:url" content="//<?php echo $_SERVER["SERVER_NAME"] .
$request_uri; ?>"/>
    <meta property="og:site_name" content="<?php echo
$sysconf['library_name']; ?>"/>
    <?php if (isset($_GET['p']) && ($_GET['p'] == 'show_detail')): ?>
        <meta property="og:image" content="//<?php echo $_SERVER["SERVER_NAME"]
. SWB . $image_src ?>"/>
    <?php else: ?>
        <meta property="og:image"
            content="//<?php echo $_SERVER["SERVER_NAME"] . SWB .
$sysconf['template']['dir']; ?>/default/img/logo.png"/>
    <?php endif; ?>

    <meta name="twitter:card" content="summary">
    <meta name="twitter:url" content="//<?php echo $_SERVER["SERVER_NAME"] .
$request_uri; ?>"/>
    <meta name="twitter:title" content="<?php echo $page_title; ?>"/>
    <?php if (isset($_GET['p']) && ($_GET['p'] == 'show_detail')): ?>
        <meta property="twitter:image" content="//<?php echo
$_SERVER["SERVER_NAME"] . SWB . $image_src ?>"/>
    <?php else: ?>
        <meta property="twitter:image"
            content="//<?php echo $_SERVER["SERVER_NAME"] . SWB .
$sysconf['template']['dir']; ?>/default/img/logo.png"/>
    <?php endif; ?>
    <!-- // load bootstrap style -->
    <link rel="stylesheet" href="<?php echo assets('css/bootstrap.min.css');
?>">
    <!-- // font awesome -->
    <link rel="stylesheet" href="<?php echo assets('plugin/font-
awesome/css/fontawesome-all.min.css'); ?>">
    <!-- Tailwind CSS -->
    <link rel="stylesheet" href="<?php echo assets('css/tailwind.min.css');
?>">
    <!-- Vegas CSS -->
    <link rel="stylesheet" href="<?php echo
assets('plugin/vegas/vegas.min.css'); ?>">
    <link href="<?php echo JWB; ?>toastr/toastr.min.css?<?php echo
date('this') ?>" rel="stylesheet" type="text/css"/>
    <!-- SLiMS CSS -->
    <link rel="stylesheet" href="<?php echo JWB; ?>colorbox/colorbox.css">
    <!-- // Flag css -->
    <link rel="stylesheet" href="<?php echo assets('css/flag-icon.min.css');
?>">
    <!-- // my custom style -->
    <link rel="stylesheet" href="<?php echo assets('css/style.css?v=' .
date('Ymd-his')); ?>">

```

```

<!-- html -->
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">

<link rel="shortcut icon" href="webicon.ico" type="image/x-icon"/>

<!-- // load vue js -->
<script src="<?php echo assets('js/vue.min.js'); ?>"></script>
<!-- // load jquery library -->
<script src="<?php echo assets('js/jquery.min.js'); ?>"></script>
<!-- // load popper javascript -->
<script src="<?php echo assets('js/popper.min.js'); ?>"></script>
<!-- // load bootstrap javascript -->
<script src="<?php echo assets('js/bootstrap.min.js'); ?>"></script>
<!-- // load vegas javascript -->
<script src="<?php echo assets('plugin/vegas/vegas.min.js'); ?>"></script>
<script src="<?php echo JWB; ?>toastr/toastr.min.js"></script>
<!-- // load SLiMS javascript -->
<script src="<?php echo JWB; ?>colorbox/jquery.colorbox-min.js"></script>
<script src="<?php echo JWB; ?>gui.js"></script>
<script src="<?php echo JWB; ?>fancywebsocket.js"></script>

</head>
<body class="bg-grey-lightest">

```

```

<?php
/**
 * @Created by      : Waris Agung Widodo (ido.alit@gmail.com)
 * @Date           : 2019-01-29 22:16
 * @File name      : login_template.inc.php
 */

if (isset($_GET['p']) && $_GET['p'] === 'visitor') {
    include "classic.php";
    include "parts/header.php";
    echo $main_content;
    include __DIR__ . "/assets/js/vegas.js.php";
    echo '</body></html>';
} else {
    include "index_template.inc.php";
}

```

```

<?php
/**
 * @Created by      : Waris Agung Widodo (ido.alit@gmail.com)
 * @Date           : 2020-01-03 08:49
 * @File name      : visitor_template.php
 */

$main_template_path = __DIR__ . '/login_template.inc.php';

// set default language
if (isset($_GET['select_lang'])) {
    $select_lang = trim(strip_tags($_GET['select_lang']));
    // delete previous language cookie
    if (isset($_COOKIE['select_lang'])) {
        @setcookie('select_lang', $select_lang, time()-14400, SWB);
    }
    // create language cookie
    @setcookie('select_lang', $select_lang, time()+14400, SWB);
    $sysconf['default_lang'] = $select_lang;
} else if (isset($_COOKIE['select_lang'])) {
    $sysconf['default_lang'] = trim(strip_tags($_COOKIE['select_lang']));
}

?>
<div class="vegas-slide" style="position: fixed; z-index: -1"></div>
<div class="flex h-screen w-full" id="visitor-counter" style="background:
rgba(0,0,0,0.3)">
    <div class="w-full md:w-1/3 px-8 pt-8 pb-3 flex flex-col justify-between">
        <div>
            <h3 class="font-light mb-2"><?= __('Welcome to
') . $sysconf['library_name']; ?></h3>
            <p class="lead">
                <?= __('Please fill your member ID or name.')?>
            </p>

            <div v-if="textInfo !== ''" class="rounded p-2 mt-4 bg-blue-
lighter text-blue-darker md:hidden">{{textInfo}}</div>

            <form class="mt-4" @submit.prevent="onSubmit">
                <div class="form-group">
                    <label for="exampleInputEmail1"><?= __('Member
ID')?></label>
                    <input v-model="memberId" ref="memberId" autofocus
type="text" class="form-control" id="exampleInputEmail1"
                        aria-describedby="emailHelp" placeholder="<?=
__('Enter your member ID')?>">
                </div>
                <div class="form-group">

```

```

        <label for="exampleInputPassword1"><?=  

__('Institution')?></label>  

        <input v-model="institution" type="text" class="form-  

control" id="exampleInputPassword1"  

            placeholder="<?=  

__('Enter your institution')?>">  

        <small id="emailHelp" class="form-text text-muted"><?=  

__('Enough fill your member ID if you are member of  

').$sysconf['library_name']; ?></small>  

        </div>  

        <button type="submit" class="btn btn-primary btn-block"><?=  

__('Check In')?></button>  

    </form>  

</div>  

<div class="text-right">  

    <small class="text-grey-dark"><?=  

__('Powered by ')?>  

<code>SLiMS</code></small>  

</div>  

</div>  

<div class="flex-1 hidden md:block">  

    <div class="h-screen">  

        <div v-show="textInfo !== ''" class="flex items-center h-screen p-  

8">  

            <div class="w-32">  

                <div class="w-32 h-32 bg-white rounded-full border-white  

border-4 shadow">  

                </div>  

            </div>  

            <div class="px-8">  

                <h3 class="font-light text-white mb-2" v-  

html="textInfo"></h3>  

            </div>  

        </div>  

    </div>  

    <div class="flex h-screen items-end p-8">  

        <blockquote class="blockquote" v-show="textInfo === ''">  

            <p class="text-white">{{quotes.content}}</p>  

            <footer class="blockquote-footer text-grey-  

light">{{quotes.author}}</footer>  

        </blockquote>  

    </div>  

</div>  

</div>  

</div>

```

```

<script src="<?php echo
$sysconf['template']['dir'].'/'.$sysconf['template']['theme'].'/assets/js/axio
s.min.js'; ?>"></script>
<script>
  new Vue({
    el: '#visitor-counter',
    data() {
      return {
        memberId: '',
        institution: '',
        textInfo: '',
        image: './images/persons/photo.png',
        quotes: {},
        timeout: null
      }
    },
    mounted() {
      this.$refs.memberId.focus()
      this.getQuotes()
    },
    methods: {
      onImageError: function() {
        this.image = './images/persons/photo.png'
      },
      getQuotes: function() {
        axios.get('https://api.quotable.io/random')
          .then(res => {
            this.quotes = res.data
          })
          .catch(() => {
            this.quotes = {
              content: "Sing penting madhiang.",
              author: "Pai-Jo"
            }
          })
          .finally(() => {
            this.textInfo = ''
          })
      },
      onSubmit: function() {
        if (this.memberId === '') {
          this.resetForm()
          return
        }
        let url = 'index.php?p=visitor'
        let data = new FormData()
        data.append('memberID', this.memberId)
        data.append('institution', this.institution)
      }
    }
  })

```

```

        data.append('counter', 1)

        axios({
            url: url,
            method: 'post',
            data: data,
            headers: {'Content-Type': 'multipart/form-data' }
        })
        .then(res => {
            this.textInfo = res.data
            this.image =
`./images/persons/member_${this.memberId}.jpg`
            <?php if ($sysconf['template']['visitor_log_voice']) :
?>
                this.textToSpeech(this.textInfo.replace(/<([>]+)
>)/ig, ''))
            <?php endif; ?>
        })
        .catch(err => {
            console.log(err);
        })
        .finally(() => {
            this.resetForm()
            clearTimeout(this.timeout)
            this.timeout = setTimeout(() => {
                this.getQuotes()
            }, 5000)
        })
    },
    resetForm: function () {
        this.memberId = ''
        this.institution = ''
        this.$refs.memberId.focus()
    },
    textToSpeech: function(message) {
        var message = new SpeechSynthesisUtterance(message);
        var voices = speechSynthesis.getVoices();
        // console.log(message);
        message['volume'] = 1;
        message['rate'] = 1;
        message['pitch'] = 1;
        message['lang'] = '<?php echo str_replace('_', '-',
$sysconf['default_lang']); ?>';
        message['voice'] = null;
        speechSynthesis.cancel();
        speechSynthesis.speak(message);
    }
}
}

```

```
})  
</script>
```

```
<?php  
/**  
 * Copyright (C) 2007,2008 Arie Nugraha (dicarve@yahoo.com)  
 *  
 * This program is free software; you can redistribute it and/or modify  
 * it under the terms of the GNU General Public License as published by  
 * the Free Software Foundation; either version 3 of the License, or  
 * (at your option) any later version.  
 *  
 * This program is distributed in the hope that it will be useful,  
 * but WITHOUT ANY WARRANTY; without even the implied warranty of  
 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
 * GNU General Public License for more details.  
 *  
 * You should have received a copy of the GNU General Public License  
 * along with this program; if not, write to the Free Software  
 * Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-  
1301 USA  
 *  
 */  
  
/* loan list iframe content */  
  
// key to authenticate  
if (!defined('INDEX_AUTH')) {  
    define('INDEX_AUTH', '1');  
}  
  
// main system configuration  
require '../../sysconfig.inc.php';  
// IP based access limitation  
require LIB.'ip_based_access.inc.php';  
do_checkIP('smc');  
do_checkIP('smc-circulation');  
// start the session  
require SB.'admin/default/session.inc.php';  
require SB.'admin/default/session_check.inc.php';  
  
if (!isset($_SESSION['memberID'])) { die(); }  
  
require SIMBIO.'simbio_GUI/form_maker/simbio_form_table_AJAX.inc.php';  
require SIMBIO.'simbio_GUI/table/simbio_table.inc.php';  
require SIMBIO.'simbio_GUI/paging/simbio_paging.inc.php';  
require SIMBIO.'simbio_DB/simbio_dbop.inc.php';  
require SIMBIO.'simbio_UTILS/simbio_date.inc.php';
```

```

require MDLBS.'membership/member_base_lib.inc.php';
require MDLBS.'circulation/circulation_base_lib.inc.php';

// page title
$page_title = 'Member Loan List';

// start the output buffering
ob_start();
?>
<!--loan specific javascript functions-->
<script type="text/javascript">
function confirmProcess(intLoanID, strItemCode, strProcess)
{
    if (strProcess == 'return') {
        var confirmBox = confirm('<?php echo __('Are you sure you want to
return the item'); ?> ' + strItemCode);
    } else {
        var confirmBox = confirm('<?php echo __('Are you sure to extend loan
for'); ?> ' + strItemCode); //mfc
    }

    if (confirmBox) {
        // fill the hidden form value
        document.loanHiddenForm.process.value = strProcess;
        document.loanHiddenForm.loanID.value = intLoanID;
        // submit hidden form
        document.loanHiddenForm.submit();
    }
}
</script>
<!--loan specific javascript functions end-->
<?php
// check if there is member ID
if (isset($_SESSION['memberID'])) {
    $memberID = trim($_SESSION['memberID']);
    $circulation = new circulation($dbs, $memberID);
    $loan_list_query = $dbs->query(sprintf("SELECT L.loan_id, b.title,
ct.coll_type_name,
    i.item_code, L.loan_date, L.due_date, L.return_date, L.renewed,
    IF(lr.reborrow_limit IS NULL, IF(L.renewed>=mt.reborrow_limit, 1, 0),
IF(L.renewed>=lr.reborrow_limit, 1, 0)) AS extend
FROM loan AS L
LEFT JOIN item AS i ON L.item_code=i.item_code
LEFT JOIN mst_coll_type AS ct ON i.coll_type_id=ct.coll_type_id
LEFT JOIN member AS m ON L.member_id=m.member_id
LEFT JOIN mst_member_type AS mt ON m.member_type_id=mt.member_type_id
LEFT JOIN mst_loan_rules AS lr ON mt.member_type_id=lr.member_type_id
AND i.coll_type_id = lr.coll_type_id

```



```

        LEFT JOIN biblio AS b ON i.biblio_id=b.biblio_id
        WHERE L.is_lent=1 AND L.is_return=0 AND L.member_id='%s'",
$memberID)); // query modified by Indra Sutriadi

// create table object
$loan_list = new simbio_table();
$loan_list->table_attr = 'id="dataList" width="100%" cellpadding="3"
cellspacing="0"';
$loan_list->table_header_attr = 'class="dataListHeader" style="font-
weight: bold;";';
$loan_list->highlight_row = true;
// table header
$headers = array(__('Return'), __('Extend'), __('Item Code'), __('Title'),
__('Col. Type'), __('Loan Date'), __('Due Date'));
$loan_list->setHeader($headers);
// row number init
$row = 1;
$is_overdue = false;
/* modified by Indra Sutriadi */
$circulation->ignore_holidays_fine_calc =
$sysconf['ignore_holidays_fine_calc'];
$circulation->holiday_dayname = $_SESSION['holiday_dayname'];
$circulation->holiday_date = $_SESSION['holiday_date'];
/* end of modification */
$total_temp_fines = 0; #newly added
while ($loan_list_data = $loan_list_query->fetch_assoc()) {
    // alternate the row color
    $row_class = ($row%2 == 0)?'alterCell':'alterCell2';

    // return link
    $return_link = '<a href="#"
onclick="confirmProcess('.$loan_list_data['loan_id'].' ,
\'\'.'.$loan_list_data['item_code'].'\'\' , \'return\')" title="'.__('Return this
item').'" class="btn btn-primary btn-sm">'.__('Return').'</a>';
    // extend link
    // check if membership already expired
    if ($_SESSION['is_expire']) {
        $extend_link = '<span class="noExtendLink" title="'.__('No
Extend').'">&nbsp;</span>';
    } else {
        // check if this loan just already renewed
        if ($loan_list_data['return_date'] == date('Y-m-d') ||
in_array($loan_list_data['loan_id'], $_SESSION['reborrowed']) ||
$loan_list_data['extend'] == 1) {
            $extend_link = '<span class="noExtendLink" title="'.__('No
Extend').'">&nbsp;</span>';
        } else {

```

```

        $extend_link = '<a href="#"
onclick="confirmProcess('.$loan_list_data['loan_id'].',
\'\'.$loan_list_data['item_code'].\'\', \'extend\')"' title="'.__('Extend loan
for this item').'" class="btn btn-success btn-
sm"><span>'.__('Extend').'</span></a>';
    }
}
// renewed flag
if ($loan_list_data['renewed'] > 0) {
    $loan_list_data['title'] = $loan_list_data['title'].' - <strong
class="text-success">'.__('Extended').'</strong>';
}
// check for overdue
$curr_date = date('Y-m-d');
$overdue = $circulation->countOverdueValue($loan_list_data['loan_id'],
$curr_date);
if ($overdue) {
    $is_overdue = true;
    $loan_list_data['title'] .= ' - <strong class="text-
danger">'.__('OVERDUED for').' '$overdue['days'].' '.__('days(s) with fines
value').' '$overdue['value'].'</strong>'; //mfc
    $total_temp_fines = $total_temp_fines + $overdue['value'];
#newly added
}
// row columns array
$fields = array(
    $return_link,
    $extend_link,
    $loan_list_data['item_code'],
    $loan_list_data['title'],
    $loan_list_data['coll_type_name'],
    $loan_list_data['loan_date'],
    $loan_list_data['due_date']
);

// append data to table row
$loan_list->appendTableRow($fields);
// set the HTML attributes
$loan_list->setCellAttr($row, null, "valign='top'
class='$row_class'");
$loan_list->setCellAttr($row, 0, "valign='top' align='center'
class='$row_class' style='width: 5%;'");
$loan_list->setCellAttr($row, 1, "valign='top' align='center'
class='$row_class' style='width: 5%;'");
$loan_list->setCellAttr($row, 2, "valign='top' class='$row_class'
style='width: 10%;'");
$loan_list->setCellAttr($row, 3, "valign='top' class='$row_class'
style='width: 50%;'");

```

```

        $loan_list->setCellAttr($row, 4, "valign='top' class='$row_class'
style='width: 15%;");

        $row++;
    }
    // show reservation alert if any
    if (isset($_GET['reserveAlert']) AND !empty($_GET['reserveAlert'])) {
        $reservedItem = $dbs->escape_string(trim($_GET['reserveAlert']));
        // get reservation data
        $reserve_q = $dbs->query(sprintf('SELECT r.member_id, m.member_name
            FROM reserve AS r
            LEFT JOIN member AS m ON r.member_id=m.member_id
            WHERE item_code=\'%s\' ORDER BY reserve_date ASC LIMIT 1',
$reservedItem));
        $reserve_d = $reserve_q->fetch_row();
        $member = $reserve_d[1].' ( '.$reserve_d[0].')';
        $reserve_msg = str_replace(array('{itemCode}', '{member}'),
array('<b>'.$reservedItem.'</b>', '<b>'.$member.'</b>'), __('Item {itemCode}
is being reserved by member {member}'));
        echo '<div class="infoBox">'.$reserve_msg.'</div>';
    }

    // create e-mail lin if there is overdue
    if ($is_overdue) {
        echo ' <div class="alert alert-danger p-2 rounded-0">
            <div class="row">
                <div class="pt-2 col"><strong>'.__('Total of temporary
fines').' is '.$_total_temp_fines.'</strong></div>
                <div class="col text-right"><a class="btn btn-danger
sendEmail usingAJAX" href="'.MWB.'membership/overdue_mail.php.'"
postData="memberID='.$_memberID.'" loadcontainer="emailStatus">'.__('Send
overdues notice e-mail').'</a></div>
            </div>
        </div>
        <div id="emailStatus" class="text-danger alert"></div>';
    }
    echo $loan_list->printTable();
    // hidden form for return and extend process
    echo '<form name="loanHiddenForm" method="post"
action="circulation_action.php"><input type="hidden" name="process"
value="return" /><input type="hidden" name="loanID" value="" /></form>';
?>
<script type="text/javascript">
// registering event for send email button
$(document).ready(function() {
    $('a.usingAJAX').click(function(evt) {
        evt.preventDefault();
        var anchor = $(this);

```

```

// get anchor href
var url = anchor.attr('href');
var postData = anchor.attr('postdata');
var loadContainer = anchor.attr('loadcontainer');
if (loadContainer) { container = jQuery('#'+loadContainer); }
// set ajax
if (postData) {
    container.simbioAJAX(url, {method: 'post', addData: postData});
} else {
    container.simbioAJAX(url, {addData: {ajaxload: 1}});
}
});
});
</script>
<?php
}

// get the buffered content
$content = ob_get_clean();
// include the page template
require
SB.'/admin/'. $sysconf['admin_template']['dir'].'/notemplate_page_tpl.php';

```